

TABLE 2 - PRODEK WALL CLADDING FOR BUILDINGS UP TO 3m HIGH

TERRAIN CATEGORY	K1	P _s (KPa)	0.42mm BMT.		0.48mm BMT	
			END SPAN (mm)	INTERNAL SPAN (mm)	END SPAN (mm)	INTERNAL SPAN (mm)
TC2	1.0	2.13	1200	1500	1500	1800
	1.5	2.64	1200	1500	1600	1800
	2.0	3.16	1000	1270	1450	1800
TC3	1.0	1.68	1200	1500	1600	1800
	1.5	2.09	1200	1500	1600	1800
	2.0	2.5	1200	1500	1600	1800

TABLE 3 - PRODEK WALL CLADDING FOR BUILDINGS 3.0m TO 5.0m HIGH

TERRAIN CATEGORY	K1	P _s (KPa)	0.42mm BMT.		0.48mm BMT	
			END SPAN (mm)	INTERNAL SPAN (mm)	END SPAN (mm)	INTERNAL SPAN (mm)
TC2	1.0	2.55	1200	1500	1600	1800
	1.5	3.13	1000	1280	1460	1800
	2.0	3.7	810	1070	1280	1600
TC3	1.0	1.8	1200	1500	1600	1800
	1.5	2.32	1200	1500	1600	1800
	2.0	2.63	1200	1500	1600	1800

TABLE 4 - PRODEK WALL CLADDING FOR BUILDINGS 5.0m TO 7.5m HIGH

TERRAIN CATEGORY	K1	P _s (KPa)	0.42mm BMT.		0.48mm BMT	
			END SPAN (mm)	INTERNAL SPAN (mm)	END SPAN (mm)	INTERNAL SPAN (mm)
TC2	1.0	2.68	1200	1500	1600	1800
	1.5	3.29	920	1210	1600	1800
	2.0	3.9	710	930	1220	1550
TC3	1.0	2.01	1200	1500	1600	1800
	1.5	2.47	1200	1500	1600	1800
	2.0	2.92	1100	1360	1570	1800

TABLE 5 - PRODEK WALL CLADDING FOR BUILDINGS 7.5m TO 10.0m HIGH

TERRAIN CATEGORY	K1	P _s (KPa)	0.42mm BMT.		0.48mm BMT	
			END SPAN (mm)	INTERNAL SPAN (mm)	END SPAN (mm)	INTERNAL SPAN (mm)
TC2	1.0	2.63	1200	1500	1600	1800
	1.5	3.29	980	1240	1430	1800
	2.0	3.9	710	930	1220	1550
TC3	1.0	2.08	1200	1500	1600	1800
	1.5	2.59	1200	1500	1600	1800
	2.0	3.09	980	1290	1440	1800



STRATCO (NT) PTY.LTD.
60, ALBATROSS ST.
WINNELLIE, N.T.

0.42 AND 0.48mm "PRODEK"
CLADDING FOR BUILDING HEIGHTS UP TO 10.0m
- ALLOWABLE SPANS FOR WALLS

CERTIFIED

[Signature]
Colless and O'Neill
Pty. Ltd.

Date: 12-2-92

ACCEPTED

[Signature]
13/2/92

DRAWING NO.

M217/2