



**Roll-A-Door™**

**SERIES 1 ROLL-A-DOOR  
FOR CYCLONIC AREAS**


SERIES 1 DOOR WITH HIGH WIND GUIDES AND REINFORCED CLIPS FOR BLOW-IN / BLOW-OUT SITUATIONS (MAX. SAFE WIND LOAD PRESSURES SHOWN IN kPa)

HEIGHT (mm)	DOOR WIDTH (mm)										
	1550	1850	2150	2400	2500	2600	2700	2800	2900	3000	3100
UPTO 3000	4.0+	4.0+	4.0+	4.0+	3.96	3.81	3.67	3.54	3.42	3.3	3.2



	WIND LOAD PRESSURE (kPa)							
	0.5	1.0	1.5	2.0	2.5	3.0	3.5	4.0
ABUTMENT LOAD 'H' PER METRE OF DOOR HEIGHT KN	3.6	7.2	10.8	14.4	18.0	21.6	25.2	28.8

WARNING  
Product Approval Withdrawn  
January 2015

STRUCTURAL ENGINEER TO DESIGN FIXINGS TO STRUCTURE FOR LOADS 'H'




PLAN VIEW - SERIES 1 WIND-LOCK SYSTEM



B & D AUSTRALIA  
(A DIVISION OF CLYDE INDUSTRIES LIMITED)  
34 MARIGOLD STREET, REVESBY NSW 2212  
PH (02) 771 5566 FAX (02) 792 1380

SERIES 1 HIGHWIND CLIP /  
CURTAIN ASSEMBLY FOR  
ROLL-A-DOOR



**Irwin Johnston & Partners  
(N.T.) Engineers Pty. Ltd.  
CONSULTING ENGINEERS**  
Tel. (089) 819011  
Fax. (089) 814010

CERTIFIED  
*[Signature]*  
DATE JUNE '95  
JOB No. 6237

**DESIGN DATA SHEET**

NORTHERN TERRITORY CYCLONIC AREAS SHEET No  
APPROVED *[Signature]* DATE 21-7-95 M406/4

New Expiry. 3-1-15  
Signature. *[Signature]*

New Expiry Date 3/6/14  
Signature *[Signature]*